SKU: ZEN6642SD-SCB

-- 000

INICAL SPECIFICATIONS		BATHERS: 2			
1	Side drain		INSTALLATION		
Location(s): Select 2	Std. = Standard / Alt LF/RF Optional		•	DECK (D)	
Weight (empty)	180 lbs		•	UNDER MOUNT (U)	
ons to Operate	57-83		·	ALCOVE (A)	
CTRICAL SPECIFICATIONS				FREESTANDING (F)	
r/Pump	(2) 115v 20AMP GFCI Circuits			CLAWFOOT (L)	
Stainless Steel Heater	(Opt.) 115v 20AMP GFCI Circuit			PEDESTAL (P)	

Jet & Control placement may vary



## STANDARD FEATURES & ACCESSORIES for SILVER COMBINATION

TECH

Drain

Pump

Bath \ Gallor **ELE**( Motor

21 Air & Water Massage Jets Accumassage Back, Neck Jets Ultra Flow Jets -Micro Flow Jets (•)

## **PUMPS**

Classic Air Jets

2.25 Hydropower 1-speed Pump 1.0 Air Power 3-Speed Warm Air Pump Quiet Pad Anti-Vibration Mounted Pump

## **CONTROLS**

Air Switch On/Off Control(s) Automatic Purge & Dry Cycle Control

#### **PURITY**

HydroClean Water Purity System HydroCleanse

## STANDARD ACCESSORIES

Mood Light

Lift & Turn Drain - White, Biscuit, Bone, Brushed Nickel, Oil Rubbed Bronze, Polished Chrome

Deluxe Cushion Pillow

EZ Level Adjustable Legs

FDA Recipe Non-Toxic Food & Beverage Grade

Plumbing (primarily)

30 Point Quality Assurance Factory Test

# **REQUIREMENTS**

Pump Location(s): Select 2

Electrical: two 115v 20AMP GFCI Circuits

Tub should not be supported by the lip in any way. Level tub & screw or glue EZ Level adjustable legs to sub floor.

**CUT OUT DIMENSIONS:** 


**OVALS:** A template will be provided


RECTANGLES: Subtract 1" to 1.5" from length & width for hole cut out size

**EZ CLEAN CAST ACRYLIC** LIMITED LIFETIME WARRANTY (UL) US ANSI











**INSTALLATION WILL NOT REQUIRE MORTAR BEDDING** 







Some standard & most alternate pump locations may stickout past perimeter of the bath 1"-3". NOTE: Graphics may not be to scale. Specifications and features are subject to change without notice and are ± .25". All final measurements should be taken from tub on site.

Access 18"x 18" or larger is required for each pump. Consult your contractor for installation requirements.